


ELEAREUT BUILDING SOLUTIONS

Clearcut Contact Information

Woods Cross, UT | 801-394-3242 |info@clearcututah.com



Why Clearcut Building Solutions?



Who is Clearcut?

- Clearcut specializes in HOA, multifamily construction defect. We take pride in what we do, and we provide solutions to complex issues that arise in HOA and multifamily communities.
- We support HOAs and Multifamily owners in finding long term solutions for their communities.
- We are not just a contractor. We believe in building science, and we seek to improve building performance throughout the expected service life.
- We self perform all waterproofing details. We do not subcontract our waterproofing so that we can control the vital details that protect a building.
- This means we strive to improve the way buildings are constructed and maintained to ensure a long building life and that all building components are a part of a larger uniformed system that ensure proper waterproofing and building ventilation.
- We are a General Contractor Licensed for the State of Utah. B-100 GC License # 10324070-5501










ELEAREUT BUILDING SOLUTIONS




Crestview Tentative Schedule







What the project will look like






Communication

Bi-Weekly construction updates will be sent out.

In addition, any notices will be posted on doors and on the community portal.

**For after hour issues or work-related emergencies please call our 24/7 Phone Line (801) 394-3242 and someone from Clearcut will be informed.





How will this project impact me?

- Please stay off decks (homeowners, renters, kids, pets, visitors, etc.) during construction.
- You don't have to be home during construction.
- Containment walls will be set up in your units to prevent dust or debris from entering your units.
- No access will be allowed to decks until scaffolding has been removed due to safety reasons.
- Multiple buildings and will be worked on at a time.



Crestview


Interior Repair Protocol

During the construction project we will be replacing windows. During window installment, we will occasionally step into your unit through the window opening. We will do our best to wear booties if we need to step into your home. We do not need a key or access to your home/unit for this task, and you do NOT need to be home for this. If you would prefer to be home while we install new windows, you are welcome to do so.

As it gets closer to new windows being installed on your building or unit, we will be posting notices to inform you of dates. Please contact us at that time if you would prefer to be home when your new windows are installed, so that we can coordinate scheduling with you. If we need to do any cutting, or if the window opening is going to be left open for any amount of time, we will install plastic to prevent construction dust or debris from entering your home. We will never remove windows without having the new window installed before leaving for the day. All blinds and shutters must be removed prior to window installation to avoid damage. Removal of blinds is the responsibility of the homeowner or tenant.



Roofing Product



CertainTeed offers a full line of shingles with warranty durations ranging from 20 years to lifetime limited for your assurance over the long term. Yet CottainTeed's exclusive SureStart" protection offers even more. SureStart provides the best covertage you can get in the vital early years after your new roof has been installed. Here's how SuncStart is different from any other coverage. In case of manufacturing defects in Centan/Eved shingles during the applicable period, SureStart protection covers

100% of materials

All shangles required to repair or replace the delective product will be provided free. No exceptions. 100% of labor

All labor required to repair delective shangles or apply new shingles to replace the defective shingles will be paid by CertainTend, based on local fair market value for labor Costs of flashings, metal work, tear-off and disposal are included for Grand Manor⁴, Carnage House⁴, Belmont⁴, Belmont⁴ (Impact Reinstant), Anadia Shake⁴, Presidential Shake⁴ TL (dr AR), Landmark⁴ TL (dr AR), Presidential Shale# (Iz AR), Presidential Shale# (Impact Resistant) Presidential Solarie#, Highland Slate#, Highland Slate# (Impact Resistant), Landmark® Premium, NorthGate®, Landmark® Pro and Landmark Solaris®

SureStart period. The SureStart terms are effective for 3, 5 or 10 years based on the shingle (see SunStan chard

And SureStart protection can be transferred! The CertainTeed warranty with Sun-Start protection can be transforred from the original constance to the subsequent property owner during the SurcStart period for the remaining datation of the warmery

SureStart PLUS Extended Warranty Protection for added peace of mind

When you choose an integrity Roaf System?" autalled by a constantist who holds advanced credentials from Centamileed, you have the opportunity to obtain additional levels of Surcivart coverage. The chart on the back shows the hencles of each warrarry extension option.

How can we help?

For additional information or to locate a contractor with CertainTeed credentials, call CertainTeed at 800-782-8777 or visit our website at www.certainteed.com


urestart coverage details	Watany	Service Passed
and Mator*	Licum	Maria
array floor*	Livens*	N som
tabe Wale*	- Lifeine*	Monat
codottal Malor* TL (ik AR).	Living ⁴	Mynat
cademial Schrist	Linner	10 mars
national State* (in SR) (in Separa Resonanc)*.	Liferant ^A	Monan
locat" ik lopat kontan?"	Lines-1	Nyon
ndwark* TL (Ar All)	Labrimu ⁴	till senier
ndmark* Promium (itr AR)	Linner	Norman
eblas*	Linna	Nynas
almark* Profile Intern N	Linear.	10
pland tim" (in Impart Ressort"	Liferant	10 years
advande "andrea"	Linner	10 years
nimoti* OF NO	Linne	10 years
admark? (it's impact Restaurs)?	Likena	10 years
The second se	Monam	# prints
"N' topot Bravan"	Mysam	S years
(*25 (le All)	23 years	Sum
198	Musan	3

\$<u></u>



Nail Base Venting







Windows

ENHANCED SECURITY AND PRIVACY

prevention system and blinds-between-the-glass.
STRONGER FRAMES THAN ORDINARY VINYL

PELLA'S FADE-RESISTANT VINYL FORMULA

EXCLUSIVE WEATHER PROTECTION SYSTEM

are 52% stronger than ordinary vinyl.1

DURABLE EXTERIOR FINISHES

FREE-FORM MULLING CAPABILITIES

factory-mulled and arrive ready for installation.⁵ OPTIONAL PERFORMANCE ENHANCEMENTS Increase energy performance and structural strength with optional performance enhancements such as foam insulation and steel

ADDITIONAL FEATURES AND OPTIONS

LIMITED LIFETIME WARRANTY

and limitations, at pella.com/warranty.
TESTING BEYOND REQUIREMENTS

options and a full lineup of window & patio door styles.

in White, Almond and Fossil.

. Mark in 2022.²

fade resistance.4

reinforcement.

Give your customers more peace of mind with innovative security and privacy features. Double- and single-hung windows are designed with

an interlocking checkrail, steel hardware reinforcement and a unique anti-jar sill. Sliding patio doors feature an integrated footbolt, tamper

Pella's precision welding process creates more durable products that resist warping or twisting over time. Pella 250 Series window frames

Pella 250 Series is made of high-grade vinyl that resists yellowing and never needs painting. The solid color throughout the vinyl keeps minor dings and scratches virtually invisible. Solid-color frames are available

Protect your home with our exclusive weather repel system on singleand double-hung windows. It has three points of protection to channel water away from the home – including triple weatherstripping. ENERGY STAR* MOST EFFICIENT 2022 WINDOW² Upgraded triple-pane glass windows are on average 62% more energy efficient than single-pane windows.³ Pella 250 Series offers products that have been awarded the ENERGY STAR Most Efficient

Dual-color frame options offer white interiors with a choice of beautiful DuraColor™ exterior finishes that exceed industry requirements for

Create a large or unique combination for your project by mulling standard and custom-sized windows together. Combinations are

We have the features and options that fit most any project. Choose from multiple frame types, dual- and triple-pane glazing, several grille

Pella products are backed by some of the strongest warranties in the business. See written limited warranty for details, including exceptions

At Pella, our products are tested beyond requirements to help ensure they have long-lasting performance and reduce call-backs for you.

Pella[®] 250 Series VINYL



Innovative and enhanced security and privacy features for your customers peace of mind.



AVAILABLE IN THESE WINDOW & PATIO DOOR STYLES:



Special shapes also available

See back cover for disclosure



801-394-3242 info@clearcututah.com

Decks

- New decks are going to be installed with aluminum guardrails.
- New Trex decking will be installed
- New beams, columns, guardrails, and joists.










Locations for AC units for 1st and 2nd floor

 Wall penetrations will be added during construction for homeowners on the 1st and 2nd floors to have the option to add AC units. They will be located in the alcoves (pictured here).





Warranty

 10-year warranty for full strip and reclad projects that follow all manufactures guidelines and maintenance schedule.

ex	terior building repairs:
Stucco	Inspect yearly for cracks, damage, separations, and dynamic joints. Resurface/re-finish coat every 15-20 years. *Never paint stucco.
Stucco Cracking	Stucco cracking 1/8" or wider should be repaired, not sealed.
Hardie Siding	Repaint every 5-7 years. Inspect caulking on a yearly basis
1-394-3242 lo@clearcututah.com	Page 1 of 4
	CLEARCUT
to-Residential-Warr W Millcrock Hollo	
	FinishSchedule pdf 👔
	HnishSchedule.pdf
	FinishSchedule.pdf
	FinishScheoluse.pdf
	FinishScheolue.pdf 641
Stone Cladding	Inspect periodically for loose or missing stones. Seal stone
Stone Cladding	Inspect periodically for loose or missing stones. Seal stone and grout every 5-7 years.
Stone Cladding Exterior Caulking	
	and grout every 5-7 years.
	and grout every 5-7 years. Remove and replace exterior caulking every 10 years.
	and grout every 5-7 years. Remove and replace exterior caulking every 10 years. Inspect caulking on a yearly basis, adding caulking as needed. Recoat deck surfaces every 7-8 years.
Exterior Caulking	and grout every 5-7 years. Remove and replace exterior caulking every 10 years. Inspect caulking on a yearly basis, adding caulking as needed. Recoat deck surfaces every 7-8 years. *Area rugs and door mats on deck surfaces WILL VOID
Exterior Caulking Deck Coatings	and grout every 5-7 years. Remove and replace exterior caulking every 10 years. Inspect caulking on a yearly basis, adding caulking as needed. Recoat deck surfaces every 7-8 years. "Area rugs and door mats on deck surfaces WILL VOID the deck coating warranty.
Exterior Caulking	and grout every 5-7 years. Remove and replace exterior caulking every 10 years. Inspect caulking on a yearly basis, adding caulking as needed. Recoat deck surfaces every 7-8 years. "Area rugs and door mats on deck surfaces WILL VOID the deck coating warranty. Refinish deck railings every 10 years or as needed. Inspect
Exterior Caulking Deck Coatings Deck Railings	and grout every 5-7 years. Remove and replace exterior caulking every 10 years. Inspect caulking on a yearly basis, adding caulking as needed. Recoat deck surfaces every 7-8 years. "Area rugs and door mats on deck surfaces WILL VOID the deck coating warranty. Refinish deck railings every 10 years or as needed. Inspect deck railings for loose hardware on a yearly basis.
Exterior Caulking Deck Coatings	and grout every 5-7 years. Remove and replace exterior caulking every 10 years. Inspect caulking on a yearly basis, adding caulking as needed. Recoat deck surfaces every 7-8 years. "Area rugs and door mats on deck surfaces WILL VOID the deck coating warranty. Refinish deck railings every 10 years or as needed. Inspect deck railings for loose hardware on a yearly basis. Be sure to keep all deck diverter/kickout flashings free and
Exterior Caulking Deck Coatings Deck Railings Deck Misc.	and grout every 5-7 years. Remove and replace exterior caulking every 10 years. Inspect caulking on a yearly basis, adding caulking as needed. Recoat deck surfaces every 7-8 years. *Area rugs and door mats on deck surfaces WILL VOID the deck coating warranty. Refinish deck railings every 10 years or as needed. Inspect deck railings for loose hardware on a yearly basis. Be sure to keep all deck diverter/kickout flashings free and clear of debris.
Exterior Caulking Deck Coatings Deck Railings	and grout every 5-7 years. Remove and replace exterior caulking every 10 years. Inspect caulking on a yearly basis, adding caulking as needed. Recoat deck surfaces every 7-8 years. *Area rugs and door mats on deck surfaces WILL VOID the deck coating warranty. Refinish deck railings every 10 years or as needed. Inspect deck railings for loose hardware on a yearly basis. Be sure to keep all deck diverter/kickout flashings free and clear of debris. Gutters need to be cleaned out and maintained every
Exterior Caulking Deck Coatings Deck Railings Deck Misc.	Remove and replace exterior caulking every 10 years. Inspect caulking on a yearly basis, adding caulking as needed. Recoat deck surfaces every 7-8 years. *Area rugs and door mats on deck surfaces WILL VOID the deck coating warranty. Refinish deck railings every 10 years or as needed. Inspect deck railings for loose hardware on a yearly basis. Be sure to keep all deck diverter/kickout flashings free and clear of debris.

S N N

This is a big project that is going to improve your building. We look forward to working with you throughout this year. We will do our best to communicate every step of the way. If you have additional questions, you can reach out to info@clearcututah.com Thank you,

Your Clearcut Team

Craig Munford (President)

Cody Barrows (General Manager)

Felipe Quintana (Project Superintendent)

Tyson Anderson (Project Manager)